



SCAN
to see the
product on
our website

BASIN & SINK TRAP

WIRQUIN NEO + NEO AIR

Lifetime guaranteed!

**SAFE AND QUICK TO
INSTALL.**

LIFETIME GUARANTEE.
GUARANTEED NO LEAKS.
EASY TO CLEAN.

EN 274



NO NOISE



NO SMELLS



NO LEAKS



QUICK SAFE



LIFETIME
GUARANTEED
GUARANTEE



Safe and quick to install, **WIRQUIN NEO** is designed to satisfy all the installers and end users needs.

WIRQUIN NEO is a full range for all basin and sink installations, designed with innovative and patented functions.

Reliable thanks to overmoulded washers. Quick to install thanks to the quick safe function. **WIRQUIN NEO Air** - Innovative with the air system function.

wirquin

WIRQUIN NEO + NEO AIR

BENEFITS



OVERMOULDED WASHERS

Bi-injection technology means that there can be no loss of washers as the washers are always in place! This means total protection against leaks!



QUICK-SAFE FUNCTION

1/4 turn captive nut with overmoulded washers: fast and reliable installation.



EASY CLEANING

Base is easy to dismantle (1/4 turn opening)



OPTIONAL SPIGOT

With or without washing machine connection. (sink only)

Safe and quick to install, **WIRQUIN NEO** is designed to satisfy all the installers and end users needs.



overmoulded washers



quick safe function



easy to clean



optional spigot sink version




AIR SYSTEM *Integrated Ventapipe*

Prevents the suction of the water seal trap thanks to the membrane.

- ✓ **ZERO** Odours
- ✓ **ZERO** Noise
- ✓ **ZERO** Syphoning

Replaces the traditional ventapipe air admittance valve (AAV) by creating natural ventilation in the pipes



BEFORE




AFTER



Wirquin NEO AIR SYSTEM with integrated ventpipe.


Replaces the traditional anti-vacuum by creating natural ventilation in the pipes

- > Blocks the rise of odours.
- > Prevents noise in waste pipes.
- > Allows natural ventilation in waste pipes with no risk of de-siphoning.



CHARACTERISTICS

a	Overmoulded washers
b	Quarter-turn nut
c	Body
d	Quarter-turn base
e	Spigot option
f	Wirquin NEO AIR system



DESCRIPTION	1 1/4" WIRQUIN NEO	1 1/4" WIRQUIN NEO AIR	1 1/2" WIRQUIN NEO	1 1/2" WIRQUIN NEO AIR	1 1/2" WIRQUIN NEO + WMC	1 1/2" WIRQUIN NEO AIR + WMC
REFERENCE	30722167	30722169	30722166	30722168	30120429	30120439
DEPTH OF SEAL	80 mm	80 mm	80 mm	80 mm	80 mm	80 mm
FLOW RATE (Under 15mm of water)	55.2 L/mn	55.2 L/mn	55.2 L/mn	55.2 L/mn	59.9 L/mn	59.9 L/mn
Height	175>235 mm	175>235 mm	175>235 mm	175>235 mm	211>259 mm	211>259 mm

TECHNICAL DRAWING	1 1/4" WIRQUIN NEO	1 1/4" WIRQUIN NEO AIR	1 1/2" WIRQUIN NEO	1 1/2" WIRQUIN NEO AIR	1 1/2" WIRQUIN NEO + WMC	1 1/2" WIRQUIN NEO AIR + WMC

WIRQUIN NEO + NEO AIR

SAFE AND QUICK TO INSTALL.

LIFETIME GUARANTEE. GUARANTEED NO LEAKS. EASY TO CLEAN.



Product name	Type	Reference	EAN code	Packaging	Multiple / Box Qty
WIRQUIN NEO 1¼"	Basin	30722167	3375537220908	Film	01/50
WIRQUIN NEO AIR 1¼"	Basin	30722169	3375537220922	Film	01/50
WIRQUIN NEO 1½"	Sink	30722166	3375537220892	Film	01/50
WIRQUIN NEO AIR 1½"	Sink	30722168	3375537220915	Film	01/50
WIRQUIN NEO 1½" with WMC	Sink	30120429	5017134134223	Bag	01/14
WIRQUIN NEO AIR 1½" with WMC	Sink	30120439	5017134134230	Bag	01/14

M030 - 02/2020



www.wirquin.co.uk

wirquin